



D3281-1 FLOOR PROTECTOR

- D3281-1 NOTES:**
- 1) THERMOFORM WITH MOLD D3281-1T1 PER DART QSI 022; TRIM AS SHOWN
MINIMUM THICKNESS AFTER FORMING: 0.070" EXCEPT WHERE INDICATED
 - 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.093" THICK
(REF DART SPEC MLEXS.093-F6006-02)
 - 3) FINISH: NONE
 - 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: 0.010 MAX
 - 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-1" AND BATCH NUMBER "BXXXXX" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS
 - 8) WEIGHT: 0.95 lb



DEO ATTACHED
RELEASED
2010-02-03
WJ

E	-3/4 NOW TRIMMED FLAT: RMV 0.25 BEVEL TO FACILITATE TRIMMING (ZN D6-3, D4-4)	CP	10.01.05
D	THICKNESS 0.093 WAS 0.125, MIN THICKNESS 0.070 WAS 0.080, P/N AND B/N ID WITH VIBRATING STYLUS (ZN A7-1, A7-2, A7-3, A7-4); D3281-4 NOW ON PAGE 4; CORRECT WEIGHTS (ZN A8-1, A8-2, A8-3, A8-4)	PH	08.03.28
C	UPDATE DIMS TO MATCH PARTS: COLOUR 701 WAS 700; GENERAL UPDATE	LE	07.10.09
B	NOW LEXAN; DIMS AS MANUFACTURED	CP	05.11.25
A	NEW ISSUE	CP	04.05.03
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>gp</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>gp</i>		
CHECKED	<i>gp</i>	DRAWING NO.	REV. E
MFG. APPR.	<i>gp</i>	D3281	SHEET 1 OF 4
APPROVED	<i>gp</i>	TITLE	SCALE
DE APPR.	<i>gp</i>	FLOOR PROTECTOR	NTS
DATE	10.01.05	COPYRIGHT © 2004 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	







D3281-2 FLOOR PROTECTOR


D3281-2 NOTES:

- 1) THERMOFORM WITH MOLD D3281-2T1 PER DART QSI 022; TRIM AS SHOWN
MINIMUM THICKNESS AFTER FORMING: 0.070" EXCEPT WHERE INDICATED
- 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.093" THICK
(REF DART SPEC MLEXS.093-F6006-02)
- 3) FINISH: NONE
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-2" AND BATCH NUMBER "BXXXXX" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS
- 8) WEIGHT: 0.97 lb

DEO ATTACHED

RELEASED
2010-02-03

DESIGN	93	DART AEROSPACE LTD	
DRAWN	41	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3281	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		FLOOR PROTECTOR	NTS
DATE	10.01.05	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			






D3281-3 FLOOR PROTECTOR

- D3281-3 NOTES:**
- 1) THERMOFORM WITH MOLD D3281-3T1 PER DART QSI 022; TRIM AS SHOWN
MINIMUM THICKNESS AFTER FORMING: 0.070" EXCEPT WHERE INDICATED
 - 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.093" THICK
(REF DART SPEC MLEXS.093-F6006-02)
 - 3) FINISH: NONE
 - 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: 0.010 MAX
 - 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-3" AND BATCH NUMBER "BXXXXX" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS
 - 8) WEIGHT: 0.87 lb

DEO ATTACHED

RELEASED
2010-02-03

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3281	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		FLOOR PROTECTOR	NTS
DATE	10.01.05	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3281-4 FLOOR PROTECTOR

DEO ATTACHED

RELEASED
2010-02-03

D3281-4 NOTES:

- 1) THERMOFORM WITH MOLD D3281-4T1 PER DART QSI 022; TRIM AS SHOWN
MINIMUM THICKNESS AFTER FORMING: 0.070" EXCEPT WHERE INDICATED
- 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.093" THICK
(REF DART SPEC MLEXS.093-F6006-02)
- 3) FINISH: NONE
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-4" AND BATCH NUMBER "BXXXXX" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS
- 8) WEIGHT: 0.87 lb

DESIGN	90	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	192		
CHECKED	h	DRAWING NO.	REV. E
MFG. APPR.	h	D3281	SHEET 4 OF 4
APPROVED	h	TITLE	SCALE
DE APPR.	h	FLOOR PROTECTOR	NTS
DATE	10.01.05	COPYRIGHT © 2004 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

DRAWING NO. D3281	TITLE FLOOR PROTECTOR	REV. E	DART AEROSPACE LTD ENGINEERING ORDER	D.E.O. NO. D3281-E-1	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN <i>qp</i>	CHECKED <i>kl</i>	MFG. APPR. <i>kl</i>	APPROVED <i>kl</i>	DE APPR. <i>kl</i>		
DATE 10.02.24	DATE 10.02.25	DATE 10/02/25	DATE 10.02.25	DATE 10.02.25	DATE 10.02.25	


PURPOSE

ADD "D3281-xL08" MATERIAL OPTION. EXISTING PARTS TO BE IDENTIFIED AS "D3281-xL02"


CHANGE

D3281-xL08 PARTS ARE EQUIVALENT TO THE RESPECTIVE "-x" PARTS EXCEPT AS DETAIL BELOW. THE MATERIAL, IDENTIFICATION, AND WEIGHT NOTES ARE AMENDED AS FOLLOWS:

- 2) MATERIAL: -xL02 = LEXAN F6006, BLACK No. 701, 0.093" THICK (MLEXS.093-F6006-02)
-xL08 = LEXAN 90318 (PROTECT-A-GLAZE), 0.118 THICK, 112-CLEAR (MLEXS.118-90318-08)
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-xLxx" AND B/N "Bxxxxx" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS.
FOR -xL08 PARTS, LOCATE ENGRAVING ALONG PERIMETER OF PART AS SHOWN.
- 8) WEIGHT: D3281-1L02/-2L02 = 0.95 lb D3281-1L08/-2L08 = 1.13 lb
D3281-1L02/-2L02 = 0.87 lb D3281-3L08/-4L08 = 1.05 lb



D3281-1L08 FLOOR PROTECTOR (SHOWN)
D3281-2L08 FLOOR PRETECTOR (OPPOSITE)
LOCATION OF ENGRAVING



D3281-3L08 FLOOR PROTECTOR (SHOWN)
D3281-4L08 FLOOR PRETECTOR (OPPOSITE)
LOCATION OF ENGRAVING

RELEASED
2010-02-26
MD